



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Toluene

SDS No. : 7902E-4

Recommended use of the chemical and restrictions on use

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2B

Reproductive toxicity: Category 1A

Reproductive toxicity – effects on or via lactation: Additional category

Specific target organ toxicity – single exposure: Category 1 (central nervous system)

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 1 (central nervous system, kidneys)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements

H225 Highly flammable liquid and vapor

H332 Harmful if inhaled

H315 Causes skin irritation

H320 Causes eye irritation



- H360 May damage fertility or the unborn child
H362 May cause harm to breast-fed children
H370 Causes damage to organs (central nervous system)
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, kidneys)
H304 May be fatal if swallowed and enters airways
H401 Toxic to aquatic life
H412 Harmful to aquatic life with long lasting effects

Precautionary statements**Prevention**

- P203 Obtain, read and follow all safety instructions before use.
P263 Avoid contact during pregnancy and while nursing.
P273 Avoid release to the environment.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.

Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.
P317 Get medical help.
P318 IF exposed or concerned, get medical advice.
P319 Get medical help if you feel unwell.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.
P332 + P317 If skin irritation occurs: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P317 If eye irritation persists: Get medical help.
P331 IF SWALLOWED: Do NOT induce vomiting.
P301 + P316 IF SWALLOWED: Get emergency medical help immediately.

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal



P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Specific danger/hazard

Health hazard

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Substance/mixture:

Substance

Ingredient name	Content (%)	CAS RN	ENCS	Chemical formula
Toluene	≥ 99	108-88-3	3-60; 3-2	C ₆ H ₅ CH ₃

Note : The figures shown above are not the specifications of the product.

Section 4. First aid measures

Descriptions of first aid measures

General measures

IF exposed or concerned, get medical advice.

Get medical help if you feel unwell.

IF exposed or concerned: Get emergency medical help immediately.

IF INHALED

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Get emergency medical help immediately.

Get medical help if you feel unwell.

IF ON SKIN

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.

If experiencing skin: Get emergency medical help immediately.

If you observe unusual symptom, have irritation/pain and/or feel unwell, seek medical advice.

IF IN EYES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse in order to better reach all parts of eyes.

Remove all chemicals from contact with the victim's eyes immediately. A delay of only seconds may increase the injury.

If experiencing eye: Get medical help.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

IF SWALLOWED: Get emergency medical help immediately.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.



In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Special extinguishing method

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Liquid: Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Solid: Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Engineering measures

(Measures to prevent operator exposure)

Do not breathe dust/fume/gas/mist/vapors/spray.



(Measures to prevent fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Local ventilation/general ventilation)

Use adequate general or local exhaust ventilation.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Advice on safe handling

Obtain, read and follow all safety instructions before use.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and contaminated parts thoroughly after handling.

When using do not eat, drink or smoke.

Avoidance of contact

See Section 10: Stability and Reactivity.

Advice on general occupational hygiene

Avoid contact during pregnancy and while nursing.

Wash hands thoroughly after handling. Do not touch eyes.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Safe packaging material

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Permissible concentration

Administrative Control Levels and Concentration standard value

Japan control value 20ppm

Occupational exposure limit values

The Japan Society for Occupational Health

50ppm; 188mg/m³ (skin)

ACGIH

TWA: 20ppm (CNS, visual & hearing impair; female repro system eff; pregnancy loss)

Notation

OTO

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Washing facilities should be available.



Individual protection measures, such as personal protective equipment

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials as needed.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions as needed.

Eye/face protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Physical state: Liquid

Color: Colorless, Clear

Odor: Characteristic odor

Melting point/Freezing point: -95°C

Boiling point or initial boiling point and boiling range: (Toluene)111°C

Flammability data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1.1 vol %

Upper explosion limit: 7.1 vol %

Flash point: (Toluene)(C.C.) 4°C

Auto-ignition temperature: (Toluene)480°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: None

Solubility in solvent data is not available.

Partition coefficient n-octanol/water (log value): 2.69

Vapor pressure: 3.8kPa (25°C)

Density and/or relative density: 0.87

Relative vapor density (Air=1): 3.1

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.01

Particle characteristics data is not available.

Other information

Other information is not available.



Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The vapour mixes well with air, explosive mixtures are easily formed. As a result of flow, agitation, etc., electrostatic charges can be generated.

Reacts violently with strong oxidants such as nitric acid and sulfuric acid. This generates fire and explosion hazard. This produces irritating and toxic gases. (ICSC 0078)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong oxidizing agents, Sulfuric acid

Hazardous decomposition products

Carbon oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[NITE-CHRIP]

rat LD50: 5000 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Data for components of the product]

[NITE-CHRIP]

rat LD50: 12000 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 4, Harmful if inhaled

[Data for components of the product]

[NITE-CHRIP]

vapor: rat LC50: 4000 ppm (4-hour) (source: NITE)

Skin corrosion/irritation

[Product]

Category 2, Causes skin irritation

[Data for components of the product]

[NITE-CHRIP]

Category 2 (source: NITE)

Serious eye damage/irritation

[Product]

Category 2B, Causes eye irritation

[Data for components of the product]

[NITE-CHRIP]

Category 2B (source: NITE)

Allergenic and sensitizing effects data is not available.



Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[IARC]

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

A4: Not Classifiable as a Human Carcinogen

Reproductive toxicity

[Product]

Category 1A, May damage fertility or the unborn child

Additional category, May cause harm to breast-fed children

[Data for components of the product]

[NITE-CHRIP]

Category 1A, Additional category (source: NITE)

Specific target organ toxicity – single exposure

[Product]

Category 1, Causes damage to organs

Category 3, May cause respiratory irritation

Category 3, May cause drowsiness or dizziness

[Data for components of the product]

[NITE-CHRIP]

Category 1 (central nervous system), Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)

Specific target organ toxicity – repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

Category 1 (central nervous system, kidneys) (source: NITE)

Aspiration hazard

[Product]

Category 1, May be fatal if swallowed and enters airways

[Data for components of the product]

[NITE-CHRIP]

Category 1 (source: NITE)

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 3, Harmful to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

Crustacea (Ceriodaphnia dubia) 48-hour EC50: 3.78 mg/L (source: NITE)

Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIP]

Crustacea (Ceriodaphnia dubia) 7-day NOEC: 0.74 mg/L (source: NITE)

**Water solubility**

none (source: ICSC, 2002)

Persistence and degradability

[Data for components of the product]

Rapidly degradable (Degradation rate: 123% (by BOD)) (source: NITE)

Bioaccumulative potential

[Data for components of the product]

log Kow: 2.73 (source: NITE)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations**Waste treatment methods****Waste from residues, Contaminated packing**

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information**UNRTDG**

UN number : UN1294

UN Proper Shipping Name : TOLUENE

Transport hazard class(es) : 3

Packing group : II

IMDG Code (International Maritime Dangerous Goods Regulations)

UN number : UN1294

UN Proper Shipping Name : TOLUENE

Transport hazard class(es) : 3

Packing group : II

IATA (Dangerous Goods Regulations)

UN number : UN1294

UN Proper Shipping Name : TOLUENE

Transport hazard class(es) : 3

Hazard labels : Flamm. liquid

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : no

Environmentally hazardous substance/mixture (yes/no) : no

ERG GUIDE No.: 130

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Applicable

**Other regulatory information**

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information**References and sources for data**

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN
IMDG Code, 2024 Edition (Incorporating Amendment 42-24)
IATA Dangerous Goods Regulations (67th Edition) 2026
2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2026 TLVs and BEIs. (ACGIH)
JIS Z 7252 : 2025
JIS Z 7253 : 2025
Recommendation of occupational exposure limits (2024-2025) (JSOH)
Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIIP), up to FY2024).