



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Gentian violet stock solution(7w/v%)

SDS No. : E0039E-3

Recommended use of the chemical and restrictions on use

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Serious eye damage/eye irritation: Category 2

Carcinogenicity: Category 1A

Reproductive toxicity: Category 1A

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 1 (liver)

Specific target organ toxicity – repeated exposure: Category 2 (central nervous system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements

H225 Highly flammable liquid and vapor

H302 Harmful if swallowed

H319 Causes serious eye irritation

H350 May cause cancer

H360 May damage fertility or the unborn child

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H372 Causes damage to organs through prolonged or repeated exposure (liver)

H373 May cause damage to organs through prolonged or repeated exposure (central nervous system)

**Precautionary statements****Prevention**

- P203 Obtain, read and follow all safety instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.

Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
P318 IF exposed or concerned, get medical advice.
P319 Get medical help if you feel unwell.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P317 If eye irritation persists: Get medical help.
P330 IF SWALLOWED: Rinse mouth.
P301 + P317 IF SWALLOWED: Get medical help.

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Specific danger/hazard**Health hazard**

See "11. Toxicological Information".

Section 3. Composition/information on ingredients**Substance/mixture:****Mixture**

Ingredient name	Content (%)	CAS RN	ENCS	Chemical formula
Ethanol	91	64-17-5	2-202	C ₂ H ₅ OH
C.I. Basic Violet 3	8.6	548-62-9	5-1971	C ₂₅ H ₃₀ N ₃ Cl

Note : The figures shown above are not the specifications of the product.



Section 4. First aid measures

Descriptions of first aid measures

General measures

IF exposed or concerned, get medical advice.

Get medical help if you feel unwell.

IF INHALED

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical help if you feel unwell.

IF ON SKIN

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.

If skin irritation or rash occurs: Get medical help.

IF IN EYES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

IF SWALLOWED

Rinse mouth.

IF SWALLOWED: Get medical help.

IF SWALLOWED: Get medical help if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Special extinguishing method

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters



Wear fire resistant or flame retardant clothing.
Wear protective gloves/protective clothing/eye protection/face protection.
Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.
Ventilate area until material pick up is complete.
Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Liquid: Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.
Solid: Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Engineering measures

(Measures to prevent operator exposure)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Measures to prevent fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Local ventilation/general ventilation)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Advice on safe handling

Obtain, read and follow all safety instructions before use.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and contaminated parts thoroughly after handling.

When using do not eat, drink or smoke.

Avoidance of contact

See Section 10: Stability and Reactivity.

Advice on general occupational hygiene

Wash hands thoroughly after handling.

Do not touch eyes.



- Do not eat, drink or smoke when using this product.
- Conditions for safe storage, including any incompatibilities
 - Conditions for safe storage
 - Keep container tightly closed.
 - Store locked up. (P405)
 - Store in a cool, dry place. Do not store in direct sunlight.
 - Storage in accordance with local/national regulation.
 - Safe packaging material
 - Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

- Control parameters
 - Permissible concentration
 - Administrative Control Levels and Concentration standard value
 - Not established
 - Occupational exposure limit values
 - ACGIH
 - (Ethanol)
 - STEL: 1000ppm (URT irr)
 - Appropriate engineering controls
 - Do not use in areas without adequate ventilation.
 - Eye wash station should be available.
 - Washing facilities should be available.
 - Individual protection measures, such as personal protective equipment
 - Recommend to use protective equipment in conformity with the standards.
 - Use appropriate protective equipment in accordance with local/national regulation.
 - Respiratory protection
 - Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.
 - Hand protection
 - Wear impervious protective glove.
 - Eye/face protection
 - Wear eye/face protection. Wear safety goggles in cases gas is generated.
 - Skin and body protection
 - Wear protective clothing.

Section 9. Physical and Chemical Properties

- Physical state: Liquid
- Color: Blue
- Odor: Characteristic odor
- Melting point/Freezing point data is not available.
- Boiling point or initial boiling point and boiling range: (Ethanol)78°C
- Flammability data is not available.
- Lower and upper explosion limit/flammability limit data is not available.
- Flash point: (Ethanol)(C.C.) 12°C
- Auto-ignition temperature data is not available.
- Decomposition temperature data is not available.
- pH data is not available.



Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure data is not available.

Density and/or relative density: 0.81

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Ethanol)

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Chlorine compounds

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)

rat LD50: 7000 – 11000 mg/kg (source: NITE)

(C.I. Basic Violet 3)

rat LD50: 180 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)



rabbit LDLo: 20000 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

vapor: rat LC50: 63000 ppmV (source: NITE)

Skin corrosion/irritation data is not available.

Serious eye damage/irritation

[Product]

Category 2, Causes serious eye irritation

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

Category 2B (source: NITE)

(C.I. Basic Violet 3)

Category 2 (source: NITE)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Product]

Category 1A, May cause cancer

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

Category 1A (source: NITE)

(C.I. Basic Violet 3)

Category 1B (source: NITE)

[IARC]

(Ethanol)

Group 1 : Carcinogenic to humans

(C.I. Basic Violet 3)

Group 2B : Possibly carcinogenic to humans

[ACGIH]

(Ethanol)

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans

[EU]

(C.I. Basic Violet 3)

Category 2; Substances suspected human carcinogens

Reproductive toxicity

[Product]

Category 1A, May damage fertility or the unborn child

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

Category 1A (source: NITE)

Specific target organ toxicity – single exposure

[Product]

Category 3, May cause respiratory irritation

Category 3, May cause drowsiness or dizziness

[Data for components of the product]



[NITE-CHRIP]

(Ethanol)

Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)

Specific target organ toxicity – repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

Category 1 (liver), Category 2 (central nervous system) (source: NITE)

(C.I. Basic Violet 3)

Category 2 (female genitalia, liver) (source: NITE)

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

(Ethanol)

Algae (*Chlorella vulgaris*) 96-hour EC50: 1000 mg/L (source: NITE)

Crustacea (*Daphnia magna*) 48-hour EC50: 5463 mg/L (source: NITE)

Fish (*Oncorhynchus mykiss*) 96-hour LC50: 11200 ppm (source: NITE)

Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIP]

(Ethanol)

Crustacea (*Ceriodaphnia* sp.) 10-day NOEC: 9.6 mg/L (source: NITE)

Water solubility

(Ethanol)

miscible (source: ICSC, 2018)

Persistence and degradability

[Data for components of the product]

(Ethanol)

Rapidly degradable (Degradation rate: 89% (by BOD)) (source: NITE)

Bioaccumulative potential

[Data for components of the product]

(Ethanol)

log Pow: -0.32 (source: ICSC, 2018)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Waste treatment methods

Waste from residues



Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information**UNRTDG**

UN number : UN1170

UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Packing group : II

IMDG Code (International Maritime Dangerous Goods Regulations)

UN number : UN1170

UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Packing group : II

IATA (Dangerous Goods Regulations)

UN number : UN1170

UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Hazard labels : Flamm. liquid

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : no

Environmentally hazardous substance/mixture (yes/no) : no

ERG GUIDE No.: 127

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Ethanol; C.I. Basic Violet 3

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (67th Edition) 2026

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2026 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2025

JIS Z 7253 : 2025



Recommendation of occupational exposure limits (2024–2025) (JSOH)

Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2024).