



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Gram-Hucker solution I

SDS No. : E0161E-3

Recommended use of the chemical and restrictions on use

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2

Carcinogenicity: Category 1A

Reproductive toxicity: Category 1A

Specific target organ toxicity – repeated exposure: Category 1 (liver)

Specific target organ toxicity – repeated exposure: Category 2 (central nervous system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements

H226 Flammable liquid and vapor

H319 Causes serious eye irritation

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure (liver)

H373 May cause damage to organs through prolonged or repeated exposure (central nervous system)

Precautionary statements

Prevention

P203 Obtain, read and follow all safety instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.



- P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.

Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
P318 IF exposed or concerned, get medical advice.
P319 Get medical help if you feel unwell.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse affected areas with water or shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P317 If eye irritation persists: Get medical help.

Storage

- P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Specific danger/hazard**Health hazard**

See "11. Toxicological Information".

Section 3. Composition/information on ingredients**Substance/mixture:****Mixture**

Ingredient name	Content (%)	CAS RN	ENCS	Chemical formula
Ethanol	14	64-17-5	2-202	C ₂ H ₅ OH
C.I. Basic Violet 3	1.5	548-62-9	5-1971	C ₂₅ H ₃₀ N ₃ Cl
Ammonium oxalate	0.73	1113-38-8	1-391; 2-844	C ₂ H ₈ N ₂ O ₄
Water	83	7732-18-5	-	H ₂ O

Note : The figures shown above are not the specifications of the product.

Section 4. First aid measures**Descriptions of first aid measures****General measures**

- IF exposed or concerned, get medical advice.
Get medical help if you feel unwell.

IF INHALED

- IF INHALED: Remove person to fresh air and keep comfortable for breathing.



Get medical help if you feel unwell.

IF ON SKIN

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.

If skin irritation or rash occurs: Get medical help.

IF IN EYES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

IF SWALLOWED

Rinse mouth.

IF SWALLOWED: Get medical help if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Special extinguishing method

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Liquid: Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Solid: Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.



Section 7. Handling and storage

Precautions for safe handling

Engineering measures

(Measures to prevent operator exposure)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Measures to prevent fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Local ventilation/general ventilation)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Advice on safe handling

Obtain, read and follow all safety instructions before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and contaminated parts thoroughly after handling.

When using do not eat, drink or smoke.

Avoidance of contact

See Section 10: Stability and Reactivity.

Advice on general occupational hygiene

Wash hands thoroughly after handling.

Do not touch eyes.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Safe packaging material

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Permissible concentration

Administrative Control Levels and Concentration standard value

Not established

Occupational exposure limit values

ACGIH

(Ethanol)

STEL: 1000ppm (URT irr)

Appropriate engineering controls

Do not use in areas without adequate ventilation.



Eye wash station should be available.

Washing facilities should be available.

Individual protection measures, such as personal protective equipment

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye/face protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Physical state: Liquid

Color: Dark blue

Odor: Characteristic odor

Melting point/Freezing point data is not available.

Boiling point, initial boiling point, or boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: (reference)about 40°C

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure data is not available.

Density and/or relative density: 0.96

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Ethanol)

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and



explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044)

(Ammonium oxalate)

Decomposes on heating and on burning. This produces toxic and corrosive fumes including ammonia and nitrogen oxides. Reacts with oxidants. (ICSC 1036)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Chlorine compounds, Ammonia

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)

rat LD50: 7000 – 11000 mg/kg (source: NITE)

(C.I. Basic Violet 3)

rat LD50: 180 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)

rabbit LDLo: 20000 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)

vapor: rat LC50: 63000 ppmV (source: NITE)

Skin corrosion/irritation

[Data for components of the product]

[NITE-CHRIIP]

(Ammonium oxalate)

Category 2 (source: NITE)

Serious eye damage/irritation

[Product]

Category 2, Causes serious eye irritation

[Data for components of the product]

[NITE-CHRIIP]

(Ethanol)

Category 2B (source: NITE)

(C.I. Basic Violet 3)

Category 2 (source: NITE)

(Ammonium oxalate)



Category 2A (source: NITE)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Product]

Category 1A, May cause cancer

[Data for components of the product]

[NITE-CHIRP]

(Ethanol)

Category 1A (source: NITE)

(C.I. Basic Violet 3)

Category 1B (source: NITE)

[IARC]

(Ethanol)

Group 1 : Carcinogenic to humans

(C.I. Basic Violet 3)

Group 2B : Possibly carcinogenic to humans

[ACGIH]

(Ethanol)

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans

[EU]

(C.I. Basic Violet 3)

Category 2; Substances suspected human carcinogens

Reproductive toxicity

[Product]

Category 1A, May damage fertility or the unborn child

[Data for components of the product]

[NITE-CHIRP]

(Ethanol)

Category 1A (source: NITE)

Specific target organ toxicity – single exposure

[Data for components of the product]

[NITE-CHIRP]

(Ethanol)

Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)

(Ammonium oxalate)

Category 3 (Respiratory tract irritation) (source: NITE)

Specific target organ toxicity – repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHIRP]

(Ethanol)

Category 1 (liver), Category 2 (central nervous system) (source: NITE)

(C.I. Basic Violet 3)

Category 2 (female genitalia, liver) (source: NITE)

Aspiration hazard data is not available.



Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

(Ethanol)

Algae (*Chlorella vulgaris*) 96-hour EC50: 1000 mg/L (source: NITE)Crustacea (*Daphnia magna*) 48-hour EC50: 5463 mg/L (source: NITE)Fish (*Oncorhynchus mykiss*) 96-hour LC50: 11200 ppm (source: NITE)

Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIP]

(Ethanol)

Crustacea (*Ceriodaphnia* sp.) 10-day NOEC: 9.6 mg/L (source: NITE)

Water solubility

(Ethanol)

miscible (source: ICSC, 2018)

(Ammonium oxalate)

45 g/L (20°C) (source: ICSC, 2012)

Persistence and degradability

[Data for components of the product]

(Ethanol)

Rapidly degradable (Degradation rate: 89% (by BOD)) (source: NITE)

Bioaccumulative potential

[Data for components of the product]

(Ethanol)

log Pow: -0.32 (source: ICSC, 2018)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Waste treatment methods

Waste from residues

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UNRTDG

UN number : UN1170

UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Packing group : III

IMDG Code (International Maritime Dangerous Goods Regulations)

UN number : UN1170



UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Packing group : III

IATA (Dangerous Goods Regulations)

UN number : UN1170

UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es) : 3

Hazard labels : Flamm. liquid

Packing group : III

Environmental hazards

Marine pollutants (yes/no) : no

Environmentally hazardous substance/mixture (yes/no) : no

ERG GUIDE No.: 127

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Ethanol; C.I. Basic Violet 3; Ammonium oxalate; Water

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (67th Edition) 2026

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2026 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2025

JIS Z 7253 : 2025

Recommendation of occupational exposure limits (2024-2025) (JSOH)

Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The



data does not signify any warranty with regard to the products' properties.
The GHS classification data given here is based on current Data published in Japan
(National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform
(NITE-CHRIP), up to FY2024).